



Dimock Update (1430 hrs., 1/27/12)
Gerald Heston to: Kathy Hodgkiss, JohnJ Butler
Cc: Dennis Carney, Richard Fetzer, Richard Rupert, Ann DiDonato, Gerald Heston

01/27/2012 02:40 PM

From: Gerald Heston/R3/USEPA/US
To: Kathy Hodgkiss/R3/USEPA/US@EPA, JohnJ Butler/R3/USEPA/US@EPA
Cc: Dennis Carney/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Richard Rupert/R3/USEPA/US, Ann DiDonato/R3/USEPA/US@EPA, Gerald Heston/R3/USEPA/US@EPA

11 homes will be sampled by COB today. 8 of those 11 have denied access to PADEP and Cabot for split samples.
ERT and SERAS (contractor) arrived onsite and worked with the sample management team to improve the process.
Site team has scheduled residential sampling appointments through the week of 2/13/12.
Daily water deliveries continue.
No sampling activities scheduled for this weekend.

Summary of surveys, appointments, sampling:

	Executive Summary						
	Survey		Appointments				
	Surveys 1/27/2012 Received	followup needed	Appointments Scheduled	to be scheduled	Splits with PADEP	Splits with Cabot	Sampling Done
Sampling Categories							
CO&A List (21)	18	3	19	2	3	3	11
Historical Sampling (34)	33	1	31	3	0	0	0
Added on Criteria (0)	0	0	0	0	0	0	0
Unaccounted (11)	1	10	0	0	0	0	0
TOTALS (66)	52	14	50	5	3	3	11

*Unaccounted category included homes where phone disconnected, phone calls not returned, sampling status unknown or outside published area - not counted in appointment to be scheduled

Gerald T. Heston, Chief
Eastern Response Branch (3HS31)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3273
Fax: 215-814-3254